

WOODARD, EMHARDT, MORIARTY, MCNETT & HENRY LLP
PATENT AND TRADEMARK ATTORNEYS
111 MONUMENT CIRCLE, SUITE 3700
INDIANAPOLIS, INDIANA 46204-5137
(317) 634-3456 Fax (317) 637-7561
www.uspatent.com

July 25, 2008

ATTN: Certificate of Correction Branch
Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Re: Request for Certificate of Correction
United States Patent No. 7,389,893
Issue Date: June 24, 2008
Title: INVERTED DISPENSING PUMP
Inventor(s): Kasting
Our Ref.: 001104-000767

Dear Sir:

A Certificate of Correction of the above-identified patent is respectfully requested to correct certain errors which appear in the patent as issued.

The exact location where the errors occur and the necessary corrections are indicated on the attached form, which form as prepared is suitable for printing. The errors as set out on the attached form were made on the part of the Patent Office and therefore no fee is required.

The cited reference "2007/0215165" appears to be a typographical error, as reference "2007/0215643" was cited in an Information Disclosure Statement by the Applicant which was signed off by the Examiner and returned with the April 22, 2008 Notice of Allowance.

In the December 15, 2005 Office Action, the Examiner on pages 3 and 4 cited a Maerte et al. reference but did not provide the specific patent number either within the Office Action or on a PTO-892 form. On page 8 of the June 15, 2006 Response to Office Action, as noted, the Applicant's representative contacted the Examiner. The Examiner indicated the reference was either U.S. Patent No. 4,776,498 or U.S. Patent No. 4,958,752. Therefore, it is believed that the addition of these two patent numbers is proper and occurred on the part of the Patent Office. If it is determined that additional fees are required in order to complete the Certificate of Correction, please charge such fees to Deposit Account No. 23-3030.

US Patent & Trademark Office
Certificate of Corrections Branch
July 25, 2008
Page 2 of 2

Please send the certificate to Charles P. Schmal at Woodard, Emhardt, Moriarty, McNett & Henry LLP, 111 Monument Circle, Suite 3700, Indianapolis, Indiana 46204-5137.

Sincerely,

/Charles P. Schmal #45,082/
Charles P. Schmal, Reg. No. 45082

Enclosure

#540389

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,389,893
APPLICATION NO.: 10/659,462
ISSUE DATE : June 24, 2008
INVENTOR(S) : Kasting

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On Page 1, Column 1, please add "4,776,498 * 10/1988 Maerte et al."

On Page 1, Column 1, please add "4,958,752 * 9/1990 Maerte et al."

On Page 2, Column 2, please change --2007/0215164 A1 9/2007 Law et al.-- to "2007/0215643 A1 2/2008 Law et al."

MAILING ADDRESS OF SENDER (Please do not use customer number below):
Woodard, Emhardt, Moriarty, McNett & Henry LLP
111 Monument Circle, Suite 3700
Indianapolis, IN 46204

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.